SAMTRACinc.

WOLF

CE

www.samtracinc.com

EXCAVATOR
WE08

Specifications

Operating Weight	**880kg**
Digging bucket capacity	**0.025cbm**
Digging bucket width	**400mm**
Engine	**KD192F-1 E5**
Rated power	**7kw**
Displacement	**6.8ml/r**
Bore stroke	**single cylinder, fan cool**
Main pump	**JINXING**
Pump flow	**16L/min**
Hydraulic oil tank capacity	**16.5L**
Engine oil tank capacity	**2.8(1.3)L**
Diesel tank capacity	**7 L**
Working pressure	**16Mpa**
Valve	**BEIFANG**
Swing motor	**KEERSEN**
Traveling motor	**USA EATON**
Hydraulic oil tank	**16.5L**
Diesel oil tank	**7L**
Arm digging force	**5.0Kn**
Bucket digging force	**9.5Kn**
Electric pressure	**12V**
Electrick power	**5W**

MAIN DIMENSIONS	
Overall dimension(LxWxH)	**2770×896×1490 mm**
Wheelbase	**910 mm**
Total length of track on land	**1230mm**
Platform ground clearance	**380 mm**
Platform back turning radius	**784 mm**
Chassis width	**896 mm**
Track width	**180 mm**
Chassis ground clearance	**132 mm**
Track height	**320 mm**
OPERATING RANGE	
Max. Digging depth	**1650 mm**
Max. Vertical digging depth	**1375 mm**
Max. Digging height	**2610 mm**
Max. Dumping height	**1850 mm**
Max. Digging radius on ground	**2850 mm**
Min. Rotation radius	**1330 mm**
Max. Upgrade height of bulldozer blade	**345 mm**
Max. Digging depth of bulldozer blade	**255 mm**

SAMTRACinc.

Phone: 01222285782 - 01222100310
Email : wolf@samtracinc.com
75 Al Teroli Street, El-Salam City, Cairo, Egypt

www.samtracinc.com