SAMTRACinc.

WOLF

CE

www.samtracinc.com

EXCAVATOR
WE16

Specifications

Operating Weight	**1600kg**
Digging bucket capacity	**0.045cbm/400kg**
Digging bucket width	**400mm, can add narrow bucket is 200mm**
Engine	**Yanmar 3TNV70**
Rated power	**10kw/2200/r/min**
Displacement	**0.854L**
Bore stroke	**three cylinder, water coo**
Main pump	**PERMCO**
Valve	**PERMCO**
Displacement	**6.8ml/r**
Swing motor	**EATON**
Traveling motor	**KERSEN**

MAIN DIMENSIONS

Overall dimension(LxWxH)	**3290×1050×2400mm**
Total length of track on land	**1670mm**
Platform ground clearance	**460 mm**
Platform back turning radius	**740 mm**
Chassis width	**1050 mm**
Track width	**180 mm**
Chassis ground clearance	**460 mm**
Track height	**410 mm**

OPERATING RANGE

Max. Digging depth	**2150 mm**
Max. Vertical digging depth	**1740 mm**
Max. Digging height	**2275 mm**
Max. Dumping height	**2310 mm**
Max. Digging radius on ground	**3470 mm**
Min. Rotation radius	**1440 mm**
Max. Upgrade height of bulldozer blade	**285 mm**
Max. Digging depth of bulldozer blade	**195 mm**

SAMTRACinc.

Phone: 01222285782 - 01222100310
Email : wolf@samtracinc.com
75 Al Teroli Street, El-Salam City, Cairo, Egypt

www.samtracinc.com